

3

Syntax

CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.

Some Preliminaries

- For the next several weeks we'll look at how one can define a programming language
- What is a language, anyway?
 - “Language is a system of gestures, grammar, signs, sounds, symbols, or words, which is used to represent and communicate concepts, ideas, meanings, and thoughts”
- Human language is a way to communicate representations from one (human) mind to another
- What about a programming language?
 - A way to communicate representations (e.g., of data or a procedure) between human minds and/or machines



CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.

Introduction

We usually break down the problem of *defining* a programming language into two parts

- defining the PL's **syntax**
- defining the PL's **semantics**

Syntax - the **form** or structure of the expressions, statements, and program units

Semantics - the **meaning** of the expressions, statements, and program units


Note: There is not always a clear boundary between the two

CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.

Why and How

- Why?** We want specifications for several communities:
- Other language designers
 - Implementers
 - Machines?
 - Programmers (the users of the language)
- How?** One way is via natural language descriptions (e.g., user's manuals, text books) but there are a number of techniques for specifying the syntax and semantics that are more formal.

CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.



Syntax Overview

- Language preliminaries
- Context-free grammars and BNF
- Syntax diagrams

CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.

Introduction

A *sentence* is a string of characters over some alphabet (e.g., *def add1(n): return n + 1*)

A *language* is a set of sentences

A *lexeme* is the lowest level syntactic unit of a language (e.g., ***, *add1*, *begin*)

A *token* is a category of lexemes (e.g., *identifier*)

Formal approaches to describing syntax:

- Recognizers - used in compilers
- Generators - what we'll study

CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.

Lexical Structure of Programming Languages

- The structure of its lexemes (words or tokens)
 - token is a category of lexeme
- The scanning phase (lexical analyser) collects characters into tokens
- Parsing phase (syntactic analyser) determines syntactic structure

Stream of characters → **lexical analyser** → **tokens and values** → **Syntactic analyser** → **Result of parsing**

CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.

Grammars

Context-Free Grammars

- Developed by Noam Chomsky in the mid-1950s.
- Language generators, meant to describe the syntax of natural languages.
- Define a class of languages called *context-free languages*.

Backus Normal/Naur Form (1959)

- Invented by John Backus to describe Algol 58 and refined by Peter Naur for Algol 60.
- BNF is equivalent to context-free grammars

CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.



Noam Chomsky

NOAM CHOMSKY,
MIT Institute Professor;
Professor of Linguistics,
Linguistic Theory,
Syntax, Semantics,
Philosophy of Language



Six participants in the 1960 Algol conference in Paris. This was taken at the 1974 ACM conference on the history of programming languages. Top: John McCarthy, Fritz Bauer, Joe Wegstein. Bottom: John Backus, Peter Naur, Alan Perlis.

CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.

BNF (continued)

A *metalanguage* is a language used to describe another language.

In BNF, *abstractions* are used to represent classes of syntactic structures -- they act like syntactic variables (also called *nonterminal symbols*), e.g.

```
<while_stmt> ::= while <logic_expr> do <stmt>
```

This is a *rule*; it describes the structure of a while statement

CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.

BNF

- A rule has a left-hand side (LHS) which is a **single non-terminal** symbol and a right-hand side (RHS), one or more *terminal* or *non-terminal* symbols
- A *grammar* is a finite, nonempty set of rules
- A *non-terminal* symbol is “defined” by its rules.
- Multiple rules can be combined with the vertical-bar (|) symbol (read as “or”)
- These two rules:

```
<stmts> ::= <stmt>  
<stmts> ::= <stmt> ; <stmts>
```

are equivalent to this one:

```
<stmts> ::= <stmt> | <stmt> ; <stmts>
```

CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.

Non-terminals, pre-terminals & terminals

- A **non-terminal** symbol is any symbol that is in the RHS of a rule. These represent abstractions in the language (e.g., *if-then-else-statement* in

```
<if-then-else-statement> ::= if <test>
    then <statement> else <statement>
```

- A **terminal** symbol is any symbol that is not on the LHS of a rule. AKA *lexemes*. These are the literal symbols that will appear in a program (e.g., *if, then, else* in rules above).
- A **pre-terminal** symbol is one that appears as a LHS of rule (s), but in every case, the RHSs consist of single terminal symbol, e.g., *<digit>* in

```
<digit> ::= 0 | 1 | 2 | 3 ... 7 | 8 | 9
```

CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.

BNF

- Repetition is done with recursion
- E.g., Syntactic lists are described in BNF using recursion
- An *<ident_list>* is a sequence of one or more *<ident>*s separated by commas.

```
<ident_list> ::= <ident> |
                <ident> , <ident_list>
```

CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.

BNF Example

Here is an example of a simple grammar for a subset of English

A sentence is noun phrase and verb phrase followed by a period.

```
<sentence> ::= <nounPhrase> <verbPhrase> .
<nounPhrase> ::= <article> <noun>
<article> ::= a | the
<noun> ::= man | apple | worm | penguin
<verbPhrase> ::= <verb> | <verb><nounPhrase>
<verb> ::= eats | throws | sees | is
```

CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.

Derivations

- A *derivation* is a repeated application of rules, starting with the start symbol and ending with a sentence consisting of just all terminal symbols
- It demonstrates, or proves that the derived sentence is "generated" by the grammar and is thus in the language that the grammar defines
- As an example, consider our baby English grammar

```
<sentence> ::= <nounPhrase><verbPhrase>.
<nounPhrase> ::= <article><noun>
<article> ::= a | the
<noun> ::= man | apple | worm | penguin
<verbPhrase> ::= <verb> | <verb><nounPhrase>
<verb> ::= eats | throws | sees | is
```

CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.

Derivation using BNF

Here is a derivation for "the man eats the apple."

```
<sentence> -> <nounPhrase><verbPhrase>.
             <article><noun><verbPhrase>.
             the<noun><verbPhrase>.
             the man <verbPhrase>.
             the man <verb><nounPhrase>.
             the man eats <nounPhrase>.
             the man eats <article> <noun>.
             the man eats the <noun>.
             the man eats the apple.
```

CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.

Derivation

Every string of symbols in the derivation is a *sentential form*

A *sentence* is a sentential form that has only terminal symbols

A *leftmost derivation* is one in which the leftmost nonterminal in each sentential form is the one that is expanded in the next step

A derivation may be either leftmost or rightmost or something else

CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.

Another BNF Example

```
<program> -> <stmts>
<stmts> -> <stmt>
           | <stmt> ; <stmts>
<stmt> -> <var> = <expr>
<var> -> a | b | c | d
<expr> -> <term> + <term> | <term> - <term>
<term> -> <var> | const
```

Note: There is some variation in notation for BNF grammars. Here we are using -> in the rules instead of ::=.

Here is a derivation:

```
<program> => <stmts>
           => <stmt>
           => <var> = <expr>
           => a = <expr>
           => a = <term> + <term>
           => a = <var> + <term>
           => a = b + <term>
           => a = b + const
```

CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.

Finite and Infinite languages

- A simple language may have a finite number of sentences
- An finite language is the set of strings representing integers between -10^{**6} and $+10^{**6}$
- A finite language can be defined by enumerating the sentences, but using a grammar might be much easier
- Most interesting languages have an infinite number of sentences

CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.


Is English a finite or infinite language?

- Assume we have a finite set of words
- Consider adding rules like the following to the previous example
 $\langle \text{sentence} \rangle ::= \langle \text{sentence} \rangle \langle \text{conj} \rangle \langle \text{sentence} \rangle .$
 $\langle \text{conj} \rangle ::= \text{and} \mid \text{or} \mid \text{because}$
- Hint: Whenever you see recursion in a BNF it's likely that the language is infinite.
–When might it not be?

CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.


Parse Tree

A *parse tree* is a hierarchical representation of a derivation



CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.

Another Parse Tree



CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.

Grammar

A grammar is *ambiguous* if and only if (iff) it generates a sentential form that has two or more distinct parse trees.

Ambiguous grammars are, in general, very undesirable in *formal languages*.

We can eliminate ambiguity by revising the grammar.

CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.

Ambiguous English Sentences

- I saw the man on the hill with a telescope
- Time flies like an arrow
- Fruit flies like a banana
- [Buffalo buffalo Buffalo buffalo buffalo buffalo Buffalo buffalo](#)

See: [Syntactic Ambiguity](#)

CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.

An ambiguous grammar

Here is a simple grammar for expressions that is ambiguous

```
<e> -> <e> <op> <e>
<e> -> 1 | 2 | 3
<op> -> + | - | * | /
```

Fyi... In a programming language, an expression is some code that is evaluated and produces a value. A statement is code that is executed and does something.

The sentence $1+2*3$ can lead to two different parse trees corresponding to $1+(2*3)$ and $(1+2)*3$

CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.

Two parse trees for $1+2*3$

```
<e> -> <e> <op> <e>
<e> -> 1 | 2 | 3
<op> -> + | - | * | /
```

CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.

Operators

- The traditional operator notation introduces many problems.
- Operators are used in
 - Prefix notation: Expression $(* (+ 1 3) 2)$ in Lisp
 - Infix notation: Expression $(1 + 3) * 2$ in Java
 - Postfix notation: Increment $foo++$ in C
- Operators can have one or more operands
 - Increment in C is a one-operand operator: $foo++$
 - Subtraction in C is a two-operand operator: $foo - bar$
 - Conditional expression in C is a three-operand operators: $(foo == 3 ? 0 : 1)$

CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.

Operator notation

- So, how do we interpret expressions like
 - (a) $2 + 3 + 4$
 - (b) $2 + 3 * 4$
- While you might argue that it doesn't matter for (a), it can for different operators ($2 ** 3 ** 4$) or when the limits of representation are hit (e.g., round off in numbers, e.g., $1+1+1+1+1+1+1+1+1+1+10**6$)
- Concepts:
 - Explaining rules in terms of operator precedence and associativity
 - Realizing the rules in grammars

Operators: Precedence and Associativity

- **Precedence and associativity** deal with the evaluation order within expressions
- *Precedence* rules specify order in which operators of different precedence level are evaluated, e.g.:
 - “*” Has a **higher** precedence than “+”, so “*” groups *more tightly* than “+”
- What is the results of $4 * 5 ** 6$?
- A language's precedence hierarchy should match our intuitions, but the result's not always perfect, as in this Pascal example:
 - if $A < B$ and $C < D$ then $A := 0$;
- Pascal relational operators have lowest precedence!
 - if $A < B$ **and** $C < D$ then $A := 0$;

Operator Precedence: Precedence Table

Fortran	Pascal	C	Ada
		++, -- (post-inc., dec.)	
**	not	++, -- (pre-inc., dec.), +, - (unary), & (address of), * (contents of), ! (logical not), ~ (bit-wise not)	abs (absolute value), not, **
*, /	*, /, div, mod, and	* (binary), /, % (modulo division)	*, /, mod, rem
+, -	+, - (unary and binary), or	+, - (binary)	+, - (unary)
		<<, >> (left and right bit shift)	+, - (binary), & (concatenation)
.eq., .ne., .lt., .le., .gt., .ge. (comparisons)		<, >, <=, >= (inequality tests)	=, /=, <=, >, >= (comparisons)
.not.		==, != (equality tests)	

Operator Precedence: Precedence Table

	& (bit-wise and)	
	^ (bit-wise exclusive or)	
	(bit-wise inclusive or)	
.and.	&& (logical and)	and, or, xor (logical operators)
.or.	(logical or)	
.eqv., .neqv. (logical comparisons)	?: (if...then...else)	
	=, +, -, *, /, %, >>=, <<=, &=, ^=, = (assignment)	
	, (sequencing)	

Operators: Associativity

- *Associativity* rules specify order in which operators of the **same precedence** level are evaluated
- Operators are typically either **left** associative or **right** associative.
- Left associativity is typical for +, -, * and /
- So $A + B + C$
 - Means: $(A + B) + C$
 - And not: $A + (B + C)$
- Does it matter?

CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.

Operators: Associativity

- For + and * it doesn't matter in theory (though it can in practice) but for - and / it matters in theory, too.
- What should $A - B - C$ mean?
 $(A - B) - C \neq A - (B - C)$
- What is the results of $2 ** 3 ** 4$?
 - $2 ** (3 ** 4) = 2 ** 81 = 2417851639229258349412352$
 - $(2 ** 3) ** 4 = 8 ** 4 = 256$
- Languages diverge on this case:
 - In Fortran, ** associates from right-to-left, as in normally the case for mathematics
 - In Ada, ** doesn't associate; you must write the previous expression as $2 ** (3 ** 4)$ to obtain the expected answer

CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.

Associativity in C

- In C, as in most languages, most of the operators associate left to right
 - $a + b + c \Rightarrow (a + b) + c$
- The various assignment operators however associate right to left
 - $= += -= *= /= \% = >> = << = \& = \^ = |=$
- Consider $a += b += c$, which is interpreted as
 - $a += (b += c)$
- and not as
 - $(a += b) += c$
- Why?

CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.

Precedence and associativity in Grammar

If we use the parse tree to indicate precedence levels of the operators, we cannot have ambiguity

An unambiguous expression grammar:

```
<expr> -> <expr> - <term> | <term>
<term> -> <term> / const | const
```

CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.

Precedence and associativity in Grammar


Sentence: const - const / const

Derivation:

```

<expr> => <expr> - <term>
=> <term> - <term>
=> const - <term>
=> const - <term> / const
=> const - const / const
    
```

Parse tree:




CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.

Grammar (continued)

Operator associativity can also be indicated by a grammar

$\langle \text{expr} \rangle \rightarrow \langle \text{expr} \rangle + \langle \text{expr} \rangle \mid \text{const}$ (ambiguous)

$\langle \text{expr} \rangle \rightarrow \langle \text{expr} \rangle + \text{const} \mid \text{const}$ (unambiguous)



Does this grammar rule make the + operator right or left associative?

CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.

An Expression Grammar

Here's a grammar to define simple arithmetic expressions over variables and numbers.

```

Exp ::= num
Exp ::= id
Exp ::= UnOp Exp
Exp ::= Exp BinOp Exp
Exp ::= '(' Exp ')'
UnOp ::= '+'
UnOp ::= '-'
BinOp ::= '+' | '-' | '*' | '/'
    
```

Here's another common notation variant where single quotes are used to indicate terminal symbols and unquoted symbols are taken as non-terminals.

CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.

A derivation

Here's a derivation of a+b*2 using the expression grammar:


```

Exp =>                               // Exp ::= Exp BinOp Exp
Exp BinOp Exp =>                       // Exp ::= id
id BinOp Exp =>                         // BinOp ::= '+'
id + Exp =>                             // Exp ::= Exp BinOp Exp
id + Exp BinOp Exp =>                   // Exp ::= num
id + Exp BinOp num =>                   // Exp ::= id
id + id BinOp num =>                     // BinOp ::= '*'
id + id * num
a + b * 2
    
```

CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.

A parse tree

A parse tree for $a+b*2$:



CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.

Precedence

- Precedence refers to the order in which operations are evaluated.
- Usual convention: exponents > mult div > add sub.
- So, deal with operations in categories: exponents, mulops, addops.
- Here's a revised grammar that follows these conventions:

```
Exp ::= Exp AddOp Exp
Exp ::= Term
Term ::= Term MulOp Term
Term ::= Factor
Factor ::= '(' + Exp + ')'
Factor ::= num | id
AddOp ::= '+' | '-'
MulOp ::= '*' | '/'
```

CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.

Associativity

- Associativity refers to the order in which 2 of the same operation should be computed
 - $3+4+5 = (3+4)+5$, left associative (all BinOps)
 - $3^4^5 = 3^(4^5)$, right associative
- Conditionals right associate but have a wrinkle: an else clause associates with closest *unmatched if*
 - if a then if b then c else d
 - = if a then (if b then c else d)

CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.

Adding associativity to the grammar

Adding associativity to the BinOp expression grammar

```
Exp ::= Exp AddOp Term
Exp ::= Term
Term ::= Term MulOp Factor
Term ::= Factor
Factor ::= '(' Exp ')'
Factor ::= num | id
AddOp ::= '+' | '-'
MulOp ::= '*' | '/'
```

CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.


Grammar

```
Exp ::= Exp AddOp Term
Exp ::= Term
Term ::= Term MulOp Factor
Term ::= Factor
Factor ::= '(' Exp ')'
Factor ::= num | id
AddOp ::= '+' | '-'
MulOp ::= '*' | '/'
```

Derivation

```
Exp =>
Exp AddOp Term =>
Exp AddOp Exp AddOp Term =>
Term AddOp Exp AddOp Term =>
Factor AddOp Exp AddOp Term =>
Num AddOp Exp AddOp Term =>
Num + Exp AddOp Term =>
Num + Factor AddOp Term =>
Num + Num AddOp Term =>
Num + Num - Term =>
Num + Num - Factor =>
Num + Num - Num
```

Parse tree



CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.

Another example: conditionals

- Goal: to create a correct grammar for conditionals.
- It needs to be non-ambiguous and the precedence is else with nearest unmatched if

```
Statement ::= Conditional | 'whatever'
Conditional ::= 'if' test 'then' Statement 'else' Statement
Conditional ::= 'if' test 'then' Statement
```

- The grammar is ambiguous. The first Conditional allows unmatched ifs to be Conditionals
 - **Good:** if test then (if test then whatever else whatever)
 - **Bad:** if test then (if test then whatever) else whatever
- Goal: write a grammar that forces an else clause to attach to the nearest if w/o an else clause

CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.

Another example: conditionals

The final unambiguous grammar

```
Statement ::= Matched | Unmatched
Matched ::= 'if' test 'then' Matched 'else' Matched
          | 'whatever'
Unmatched ::= 'if' test 'then' Statement
            | 'if' test 'then' Matched 'else' Unmatched
```

CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.

Extended BNF

Syntactic sugar: doesn't extend the expressive power of the formalism, but does make it easier to use, i.e., more readable and more writable

- Optional parts are placed in brackets ([])
`<proc_call> -> ident [(<expr_list>)]`
- Put alternative parts of RHSs in parentheses and separate them with vertical bars
`<term> -> <term> (+ | -) const`
- Put repetitions (0 or more) in braces ({})
`<ident> -> letter { letter | digit }`

CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.

BNF vs EBNF

BNF:

```
<expr> -> <expr> + <term>
        | <expr> - <term>
        | <term>
<term> -> <term> * <factor>
        | <term> / <factor>
        | <factor>
```

EBNF:

```
<expr> -> <term> {(+ | -) <term>}
<term> -> <factor> {( * | /) <factor>}
```


CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.

Syntax Graphs

Syntax Graphs - Put the terminals in circles or ellipses and put the nonterminals in rectangles; connect with lines with arrowheads

e.g., Pascal type declarations

Provides an intuitive, graphical notation.



CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.

Parsing

- A grammar describes the strings of tokens that are syntactically legal in a PL
- A *recogniser* simply accepts or rejects strings.
- A generator produces sentences in the language described by the grammar
- A *parser* construct a derivation or parse tree for a sentence (if possible)
- Two common types of parsers are:
 - bottom-up or data driven
 - top-down or hypothesis driven
- A *recursive descent parser* is a way to implement a top-down parser that is particularly simple.

CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.

Parsing complexity

- How hard is the parsing task?
 - Parsing an arbitrary context free grammar is $O(n^3)$, e.g., it can take time proportional the cube of the number of symbols in the input. This is bad!
 - If we constrain the grammar somewhat, we can always parse in linear time. This is good!
 - Linear-time parsing
 - LL parsers
 - » Recognize LL grammar
 - » Use a top-down strategy
 - LR parsers
 - » Recognize LR grammar
 - » Use a bottom-up strategy
- LL(n) : Left to right, Leftmost derivation, look ahead at most n symbols.
 - LR(n) : Left to right, Right derivation, look ahead at most n symbols.

CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.

Parsing complexity

- How hard is the parsing task?
- Parsing an arbitrary context free grammar is $O(n^3)$ in the worst case.
- E.g., it can take time proportional the cube of the number of symbols in the input
- So what?
- This is bad!

CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.

Parsing complexity

- If it takes t_1 seconds to parse your C program with n lines of code, how long will it take to take if you make it twice as long?
 - $\text{time}(n) = t_1$, $\text{time}(2n) = 2^3 * \text{time}(n)$
 - 8 times longer
- Suppose $\sqrt{3}$ of your code is has $10n$ lines?
 - 10^3 or 1000 times as long
- Windows Vista was said to have ~50M lines of code

CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.

Linear complexity parsing

- Practical parsers have time complexity that is linear in the number of tokens, i.e., $O(n)$
- If $\sqrt{2.0}$ or your program is twice as long, it will take twice as long to parse
- This is achieved by modifying the grammar so it can be parsed more easily
- Linear-time parsing
 - LL parsers
 - » Recognize LL grammar
 - » Use a top-down strategy
 - LR parsers
 - » Recognize LR grammar
 - » Use a bottom-up strategy

- LL(n) : Left to right, Leftmost derivation, look ahead at most n symbols.
- LR(n) : Left to right, Right derivation, look ahead at most n symbols.

CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.

Recursive Decent Parsing

- Each nonterminal in the grammar has a subprogram associated with it; the subprogram parses all sentential forms that the nonterminal can generate
- The recursive descent parsing subprograms are built directly from the grammar rules
- Recursive descent parsers, like other top-down parsers, cannot be built from left-recursive grammars (why not?)

CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.

Hierarchy of Linear Parsers

- **Basic containment relationship**
 - All CFGs can be recognized by LR parser
 - Only a subset of all the CFGs can be recognized by LL parsers



CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.

Recursive Decent Parsing Example

Example: For the grammar:


```
<term> -> <factor> { (*|/)<factor> }
```

We could use the following recursive descent parsing subprogram (e.g., one in C)

```
void term() {
    factor(); /* parse first factor*/
    while (next_token == ast_code ||
           next_token == slash_code) {
        lexical(); /* get next token */
        factor(); /* parse next factor */
    }
}
```

CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.

The Chomsky hierarchy



- The Chomsky hierarchy has four types of languages and their associated grammars and machines.
- They form a strict hierarchy; that is, regular languages < context-free languages < context-sensitive languages < recursively enumerable languages.
- The syntax of computer languages are usually describable by regular or context free languages.

CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.

Summary

- The syntax of a programming language is usually defined using BNF or a context free grammar
- In addition to defining what programs are syntactically legal, a grammar also encodes meaningful or useful abstractions (e.g., block of statements)
- Typical syntactic notions like operator precedence, associativity, sequences, optional statements, etc. can be encoded in grammars
- A parser is based on a grammar and takes an input string, does a derivation and produces a parse tree.

CMSC 331, Some material © 1998 by Addison Wesley Longman, Inc.